

TwinBond Clean



PREPARATION OF CLADDING PANELS

- ✓ Cleaner for chemical pollution.
- ✓ Safe and fast-acting.
- ✓ In-depth action, without residue.

Technical Info

- Boiling point/boiling range °C: 130 - 166.
- Vapour pressure/20°C hPa: 4,6.
- Relative density/20°C: 0,75.
- Physical condition/20°C: liquid.
- Flammability °C: 24.
- Auto-ignition °C: 200.
- Water-solubility: not soluble.
- Odour: characteristic.
- Dynamic Viscosity mPa.s/20°C: 1.
- Kinematic Viscosity, mm²/s/20°C: 1.
- VOS content %: 100. VOS content g/l: 710.
- Shelf life: 36 months dry, cool and frostfree.
- Specific technical information for each packaging: please consult the safety data sheet.

Packing

TwinBond Clean - aerosol 500ml	550343924
TwinBond Clean - can 5L	550341924

Product

Characteristics

For the removal of adhesives, sealants, silicones, oil, grease and wax. Can also be used to finish sealant applications. Aliphatic hydrocarbon solvent, safe to use on most materials such as painted surfaces, vinyl, glass, rubber, formica and most plastics.

Use

- Apply and allow the product to act depending on the stain or deposit.
- Wipe off the loosened stain or deposit residue.
- Repeat the treatment if necessary.

Allow to evaporate for two minutes before bonding.